

DUTCH PERFECT[®]

bicycle tyres & tubes



TYRES THAT KEEP YOU CYCLING.

ES THAT

**TYR KEEP
YOU**

CYCLING

ABOUT

Dutch Perfect develops bicycle tyres you can rely on, for anyone who loves cycling. We specialize in durable anti puncture 'No Flat' tyres with ozone protection. We produce tyres for almost every type and size: for E-bike, city bikes, race bikes, ATB's, but also for cross-BMX, strollers and wheelchairs.

Dutch Perfect is an innovative company with more than 30 years experience in the bicycle tyres business. In 1998 Dutch Perfect developed and introduce the 1st NO FLAT tyre in the European market. We develop and design all our bicycle tyres in the Netherlands and produce them under strict quality control.

Our headquarter in the Netherlands has an extensive stock, so we can quickly deliver throughout Europe, to OEM, aftermarket and private label.

For us, quality and cycling fun are number one. Thanks to numerous studies and tests we have developed extremely good puncture protection combined with low rolling resistance.

That's why we proudly say that we make tyres that keep you cycling!

TIMELINE

Establishment
by Mr.
J. Hunneman

1986



1 year warranty
on the
NO FLAT tyre

2001



Introduction
of the E-Tiger
for E-bike

2010



1998

Invention
of the first
NO FLAT tyre

1
YEAR

2009

Company
acquired by Mr.
A.M. Travillé





Introduction
of the
winter tyre
2014

URBAN PROOF

Introduction
of the speed
pedelec tyre
2018

2012

Introduction of
colored tyres



2016

Introduction bike
accessories brand
URBAN PROOF



TECHNOLOGY


Normal bicycle tyre



- OPS Ozon protection system
- Easy fit
- Durable rubbercompound
- Low rolling resistance



No Puncture tyre



- OPS Ozon protection system
- Easy fit
- Durable rubbercompound
- Polyprotection break layer
- Low rolling resistance



1 MM

No Flat racing tyre



- OPS Ozon protection system
- Easy fit
- Polyprotection break layer
- 3 mm No Flat flexigum
- Low rolling resistance




3 MM

E-Tiger designed for E-Bikes




- OPS Ozon protection system
- Easy fit
- Extra durable rubbercompound
- Polyprotection break layer
- 3 mm No Flat flexigum
- reinforced sidewalls
- Low rolling resistance




3 MM

Classic No Flat Tyre - double security



- OPS Ozon protection system
- Easy fit
- Extra durable rubbercompound
- Polyprotection break layer
- 5 mm No Flat flexigum
- Low rolling resistance



5 MM

- + OPS: prevents the tyres for early aging and cracking by ozone
- + Polyprotection breaklayer: prevents puncture by thorns etc.
- + No flat flexigum: tough and flexible, resistant to sharp objects under the tread resists practically all sharp impurities up to 5mm.

COLLECTION

CITY

STYLE & COMFORT



DP 05
Page 15



DP 11
Page 15



DP 27
Page 16



DP 41
Page 16



DP 44
Page 17



DP 57
Page 17



DP 58
Page 18



DP 59
Page 18



DP 59
Page 18



DP 75
Page 19



DP 79
Page 19



DP 81
Page 20



DP 100
Page 20

CITY COLOR

GET YOUR FAVORITE COLOR



DP 27 Red
Page 23



DP 27 Pink
Page 23



DP 27 Terra
Page 23




DP 27 Orange
Page 23



DP 27 Yellow
Page 23



DP 27 Blue
Page 23



DP 27 Green
Page 23



DP 27 Grey
Page 23



DP 27 White
Page 23



DP 44 Pink
Page 23



DP 44 Crème
Page 23



DP 44 Green
Page 23



DP 57 Red
Page 24



DP 57 Pink
Page 24



DP 57 Yellow
Page 24



DP 57 Blue
Page 24



DP 57 Green
Page 24



E-BIKE



FOR POWERFUL E-BIKES



DP 44
Page 11

DP 79
Page 11

DP 27
Page 12

DP 123
Page 12



ATB

TYRES WITH PERFECT GRIP



DP 15
Page 27

DP 39
Page 27

DP 43
Page 28

DP 47
Page 28

DP 63
Page 29

DP 77
Page 29

DP 94
Page 30



RACE

THE FASTEST RACING TYRES



DP 41
Page 32

DP 89
Page 32



SPECIALS

SPECIAL SIZES



DP 05
Page 35

DP 30
Page 35

DP 35
Page 36

DP 37
Page 36

DP 45
Page 37

DP 55
Page 37

DP 59
Page 38



DP 61
Page 38

DP 69
Page 39

DP 75
Page 39

DP 79
Page 40

DP 95
Page 40

DP 97
Page 41



E-BIKE



A black and white close-up photograph of a bicycle's front wheel and fork. The focus is on the spokes and the front fork, with a blurred background. A yellow rectangular overlay is positioned on the right side of the image, containing text and a logo.

FOR POWERFUL E-BIKES




The high comfort and low rolling resistance combined with a unique mix of quality compound gives the Dutch Perfect E-Tiger an excellent grip. This makes our E-Tiger the first and best suitable tyre for long distance E-Bike riding.

The High speed E-tigers are all approved with the ECE-R75 certificate and can be used on the E-Bikes up to 50KM/h.

DP 44



Profile	Type 	Protection	Size	ETRTO	Color
DP 44	E-Tiger	3MM	26X1.9	50-559	Black
DP 44	E-Tiger	3MM	28X1 5/8X1 3/8	37-622	Black
DP 44	E-Tiger	3MM	28X2.00	50-622	Black

DP 79



Profile	Type 	Protection	Size	ETRTO	Color
DP 79	E-Tiger	3MM	28X1 5/8X1 3/8	37-622	Black

DP 27

50
KM



Profile	Type 	Protection	Size	ETRTO	Color
---------	--	------------	------	-------	-------

DP 27	E-Speed	3MM	28X1 5/8X1 1/2	40-622	Black
-------	---------	-----	----------------	--------	-------

DP 123

50
KM



Profile	Type 	Protection	Size	ETRTO	Color
---------	--	------------	------	-------	-------

DP 123	E-Speed	3MM	28X1 5/8X1 3/8	37-622	Black
--------	---------	-----	----------------	--------	-------



CITY

STYLE & COMFORT

The Dutch Perfect bicycle tyres are particularly suitable for people who use their bikes much. All Dutch Perfect tyres are durable and use OPS ozone protection to provide early aging and cracking. Besides our normal tyres that we have for City and tour biking, we have No Puncture and No Flat tyres.





DP 05



Profile	Type	Protection	Size	ETRTO	Color
DP 05	Normal		27X1 1/4	32-630	Black

DP 11



Profile	Type	Protection	Size	ETRTO	Color
DP 11	No Flat	5MM	27X1 1/4	32-630	Black

DP 27



Profile	Type	Protection	Size	ETRTO	Color
DP 27	Normal		28X1 5/8X1 1/4	32-622	Black
DP 27	No Puncture	1MM	28X1 5/8X1 1/4	32-622	Black
DP 27	No Flat	5MM	28X1 5/8X1 1/4	32-622	Black
DP 27	No Flat	5MM	28X1 5/8X1 3/8	37-622	Black
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Black
DP 27	No Flat	5MM	28X1 5/8X1 1/2	40-622	Black

DP 41



Profile	Type	Protection	Size	ETRTO	Color
DP 41	No Flat	5MM	28X1 5/8X1 1/16	25-622	Black

DP 44



Profile	Type	Protection	Size	ETRTO	Color
DP 44	No Puncture	1MM	26X1.9	50-559	Black
DP 44	No Puncture	1MM	26X1.9	50-559	Crème
DP 44	No Puncture	1MM	28X1 5/8X1 3/8	37-622	Black
DP 44	No Flat	5MM	28X1 5/8X1 3/8	37-622	Black
DP 44	No Puncture	1MM	28X2.00	50-622	Black
DP 44	No Puncture	1MM	28X2.00	50-622	Crème
DP 44	E-Tiger	3MM	26X1.9	50-559	Black
DP 44	E-Tiger	3MM	28X1 5/8X1 3/8	37-622	Black
DP 44	E-Tiger	3MM	28X2.00	50-622	Black

DP 57



Profile	Type	Protection	Size	ETRTO	Color
DP 57	Normal		28X1 1/2	40-635	Black
DP 57	No Puncture	1MM	28X1 1/2	40-635	Black
DP 57	No Flat	5MM	28X1 1/2	40-635	Black

DP 58



Profile	Type	Protection	Size	ETRTO	Color
---------	------	------------	------	-------	-------

DP 58	Normal		28X1 1/2	40-635	Black
-------	--------	--	----------	--------	-------


DP 59



Profile	Type	Protection	Size	ETRTO	Color
---------	------	------------	------	-------	-------

DP 59	Normal		28X1.75	47-622	Black
DP 59	No Puncture	1MM	28X1.75	47-622	Black/Brown
DP 59	No Puncture	1MM	28X1.75	47-622	Black/Crème
DP 59	No Puncture	1MM	28X1.75	47-622	Brown
DP 59	No Puncture	1MM	28X1.75	47-622	Crème
DP 59	No Puncture	1MM	28X1.75	47-622	Grey
DP 59	No Flat	5MM	28X1.75	47-622	Black

DP 75




Profile	Type	Protection	Size	ETRTO	Color
DP 75	No Puncture	1MM	26X1.75/1.9	50-559	Black
DP 75	No Flat	5MM	26X1.75	50-559	Black
DP 75	No Flat	5MM	26X2.00	50-559	Black

DP 79



Profile	Type	Protection	Size	ETRTO	Color
DP 79	Normal		28X1 5/8X1 3/8	37-622	Black
DP 79	No Puncture	1MM	28X1 5/8X1 3/8	37-622	Black
DP 79	No Flat	5MM	28X1 5/8X1 3/8	37-622	Black

DP 81



Profile	Type	Protection	Size	ETRTO	Color
DP 81	No Puncture	1MM	28X1 5/8X1 1/8	28-622	Black
DP 81	No Flat	5MM	28X1 5/8X1 1/8	28-622	Black

DP 100



Profile	Type	Protection	Size	ETRTO	Color
DP 100	Winter Tyre Spike Profile	1MM	28X1 5/8X1 3/8	37-622	Black
DP 100	Winter Tyre Spike Profile	5 mm 1MM	26X1.75 /2.0	57-559	Black



CITY C



OLOR

GET YOUR FAVORITE COLOR

2012 we introduced with succes the colored tyres for city bikes. A good combination of quality tyres and fun colors!



DP 27



Profile	Type	Protection	Size	ETRTO	Color
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Red
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Pink
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Terra
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Orange
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Yellow
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Blue
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Green
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	Grey
DP 27	No Puncture	1MM	28X1 5/8X1 1/2	40-622	White

DP 44



Profile	Type	Protection	Size	ETRTO	Color
DP 44	No Puncture	1MM	28X2.0	50-622	Pink
DP 44	No Puncture	1MM	28X2.0	50-622	Crème
DP 44	No Puncture	1MM	28X2.0	50-622	Green

DP 57



Profile	Type	Protection	Size	ETRTO	Color
DP 57	No Puncture	1MM	28X1 1/2	40-635	Red
DP 57	No Puncture	1MM	28X1 1/2	40-635	Pink
DP 57	No Puncture	1MM	28X1 1/2	40-635	Yellow
DP 57	No Puncture	1MM	28X1 1/2	40-635	Blue
DP 57	No Puncture	1MM	28X1 1/2	40-635	Green



ATB

TYRES WITH PERFECT GRIP

Rough terrain biking? Mountain racing? Then you need our resilient tyres. Our 'No Puncture' and 'No Flat' are particularly suitable for 'rough work' through their excellent resistance against thorns and sharp branches. The ATB & Mountain bike tyres have specialized profiles and are available in Normal, No Puncture and No Flat quality.





DP 15



Profile	Type	Protection	Size	ETRTO	Color
DP 15	Normal		26X1.75	47-559	Black
DP 15	No Flat	5MM	26X1.75	47-559	Black

DP 39



Profile	Type	Protection	Size	ETRTO	Color
DP 39	No Puncture	1MM	26X1.90	50-559	Black

DP 43



Profile	Type	Protection	Size	ETRTO	Color
DP 43	Normal		26X1.75/1.9	50-559	Black
DP 43	No Flat	5MM	26X1.75/1.9	50-559	Black

DP 47



Profile	Type	Protection	Size	ETRTO	Color
DP 47	Normal		26X2.00	50-559	Black
DP 47	No Flat	5MM	26X2.00	50-559	Black

DP 63



Profile	Type	Protection	Size	ETRTO	Color
DP 63	No Flat	5MM	26X2.00	50-559	Black

DP 77



Profile	Type	Protection	Size	ETRTO	Color
DP 77	No Flat	5MM	26X2.00	50-559	Black

DP 94



Profile	Type	Protection	Size	ETRTO	Color
DP 94	No Flat	3MM	27,5 X 2.20	55-584	Black
DP 94	No Flat	3MM	29 X 2.10	55-622	Black
DP 94	Lightweight		29 X 2.10	55-622	Black



RACE



THE FASTEST RACING TYRES

For those who wants to race the asphalt endlessly and bike countless kilometers for training, the racing tyres are the ideal training partners. The low rolling resistance and the puncture protection keeps you cycling. Our racing tyres are available in No Puncture and No Flat quality.

DP 41



Profile	Type	Protection	Size	ETRTO	Color
DP 41	No Flat	5MM	28X1 5/8X1 1/16	25-622	Black

DP 89



Profile	Type	Protection	Size	ETRTO	Color
DP 89	No Flat	3MM	28X1 700X22C	22-622	Black
DP 89	No Puncture	1MM	28X1 700X23C	23-622	Black
DP 89	No Flat	3MM	28X1 700X23C	23-622	Black



SPECIAL



ALS



SPECIAL SIZES

Besides the regular bicycle tyres we have several 'Specials' in different sizes in our range. We have tyres for children's bicycles, prams and wheelbarrows, but also for BMX dirt bikes, recumbent bikes, beach bicycles and wheelchairs. Of course these tyres are also available with or without no puncture. Dutch Perfect keeps you cycling!



DP 05



Profile	Type	Protection	Size	ETRTO	Color
DP 05	Normal		24X1 3/8	37-540	Crème

DP 30



Profile	Type	Protection	Size	ETRTO	Color
DP 30	No Flat *	5MM	20X2.3	58-406	Black


** High Pressure with thicker side wall*

DP 35



Profile	Type	Protection	Size	ETRTO	Color
DP 35	Normal		12 1/2X1.75	47-203	Black
DP 35	Normal		16X1.75	47-305	Black
DP 35	No Flat	5MM	16X1.75	47-305	Black
DP 35	No Flat	5MM	12 1/2X1.75	47-203	Black

DP 37




Profile	Type	Protection	Size	ETRTO	Color
DP 37	Normal		24X1 3/8	37-540	Black
DP 37	No Flat	5MM	24X1 3/8	37-540	Grey

DP 45



Profile	Type	Protection	Size	ETRTO	Color
DP 45	No Flat	5MM	20X1.95	54-406	Black

DP 55



Profile	Type	Protection	Size	ETRTO	Color
DP 55	Normal		26X1 3/8	37-590	Black
DP 55	No Flat	5MM	26X1 3/8	37-590	Black

DP 59



Profile	Type	Protection	Size	ETRTO	Color
DP 59	Normal		20X1.75	47-406	Black
DP 59	No Flat	5MM	20X1.75	47-406	Black
DP 59	No Flat *	5MM	20X1.75	47-406	Black

*High Pressure with thicker side wall

DP 61



Profile	Type	Protection	Size	ETRTO	Color
DP 61	Normal		20X1.75	47-406	Black
DP 61	Normal		20X1.75	47-406	Red
DP 61	No Flat	5MM	20X1.75	47-406	Black

DP 69



Profile	Type	Protection	Size	ETRTO	Color
DP 69	No Flat	5MM	14X1 5/8X1 3/8	37-298	Black

DP 75



Profile	Type	Protection	Size	ETRTO	Color
DP 75	No Flat	5MM	24X1.75/1.9	50-507	Black

DP 79



Profile	Type	Protection	Size	ETRTO	Color
DP 79	No Puncture	1MM	20X1.3	37-406	Black
DP 79	No Flat *	5MM	20X1.3	37-406	Black
DP 79	Normal		26X1 1/2	40-584	Black
DP 79	No Flat	5MM	26X1 1/2	40-584	Black

** High Pressure with thicker side wall*

DP 95



Profile	Type	Protection	Size	ETRTO	Color
DP 95	No Puncture	1MM	24X1.75	47-507	Black
DP 95	Normal		24X1.75	47-507	Red

DP 97



Profile	Type	Protection	Size	ETRTO	Color
DP 97	Normal		12 1/2X2 1/4	62-203	Black
DP 97	No Flat	5MM	12 1/2X2 1/4	62-203	Black



TUBES

All our tubes are produced with Butyl Rubber compound which means extra flexibility and low porosity against the standard natural rubber tubes. The combination with our Dutch Perfect protection tyres gives you minimum risk on a flat tyre and maximum security for long distance.



BLITZ



Valve	Size	ETRT0
Blitz	12 1/2 X 1.75	47-203
Blitz	12 1/2 X 2 1/4	62-203
Blitz	16 X 1.75/2.0	47-305
Blitz	16 X 1 3/8	37-340
Blitz	16 X 2.125	57-305
Blitz	18 X 1.75	47-355
Blitz	20 X 1.3	37-406
Blitz	20 X 1.75	47-406
Blitz	20 X 2.125	57-406
Blitz	24 X 1 3/8	37-540
Blitz	24 X 1.75/2.00	47-507
Blitz	26 X 1 3/8	37-590
Blitz	26 X 1 1/2	40-584
Blitz	26 X 1.75/2.00	47-559
Blitz	26 X 2.125	57-559
Blitz	27 X 1 1/4 28X1 5/8X1 1/4	32-622
Blitz	28 X 1 28X1 5/8X1 1/16	25-622
Blitz	28 X 1 28X1 5/8X1 1/16-1 1/8	28-622
Blitz	28 X 1 5/8 X 1 3/8 X 1 1/2	37-622
Blitz	28 X 1 1/2	40-635
Blitz	28 X 1.75/2.00	50-622

FRENCH



Valve	Size	ETRTO	Length
French	26 X 1 3/8 - X 1 1/2	37/40-590	40 MM
French	26 X 1 1/2	40-584	40 MM
French	26 X 1.75/2.00	47-559	40 MM
French	27 X 1 1/4 28X1 5/8X1 1/4	32-630	40 MM
French	27 X 1 1/4 28X1 5/8X1 1/4-1 3/8	37-622	40 MM
French	28 X 3/4 1 28X1 5/8X1 1/16	23-622	40 MM
French	28 X 1 28X1 5/8X1 1/16-1 1/8	25-622	40 MM
French	28 X 1 28X1 5/8X1 1/16-1 1/8	28-622	40 MM
French	28 X 1 5/8X1 3/8	37-622	40 MM
French	28 X 1 5/8X1 1/2	40-622	40 MM
French	28 X 1 5/8X1 3/8 - 28X1 1/2	40-635	40 MM
French	28 X 1 5/8X1 3/8 - 28X1 1/2	42/55-622	48 MM
French	26 X 1.75	47-559	67,5 MM
French	27 X 1 1/4 28X1 5/8X1 1/4-1 3/8	37-622	67,5 MM
French	28 X 1 28X1 5/8X1 1/16-1 1/8	25-622	67,5 MM
French	28 X 1 28X1 5/8X1 1/16-1 1/8	28-622	67,5 MM
French	28 X 1 5/8X1 3/8	37-622	67,5 MM

AMERICAN



Valve	Size	ETRTO
American	20 X 1.75/2.00	47-406
American	24 X 1.75/2.00	47-507
American	26 X 1.75/2.00	47-559

RIMTAPE



Tape	Size	Pieces
Rimtape	26 to 28	100 sets a 2 pcs per set

PVC high elastic strength

E-BIKE

Profile	Type	Protection	Size	ETRTO	Color	Reflection	Article number	EAN number
DP 44	E-TIGER	3MM	26X1.9	50-559	BLACK	Yes	266BL AE0 44	8714044020048
DP 44	E-TIGER	3MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL AE0 44S	8714044019110
DP 44	E-TIGER	3MM	28X2.00	50-622	BLACK	Yes	233BL AE0 44	8714044020086
DP 79	E-TIGER	3MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL AE0 79	8714044018533
DP 123	E-SPEED	3MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL SE 123	8714044013606
DP 27	E-SPEED	3mm	28X1 5/8X1 1/2	40-622	BLACK	YES	232BL SE 027	8714044013613

CITY

Profile	Type	Protection	Size	ETRTO	Color	Reflection	Article number	EAN number
DP 05	NORMAL		27X1 1/4	32-630	BLACK	Yes	220BL BO5	8714044001047
DP 11	NO FLAT	5MM	27X1 1/4	32-630	BLACK	Yes	220BL AF0 11	8714044019684
DP 27	NORMAL		28X1 5/8X1 1/4	32-622	BLACK	Yes	226BL BO0 27	8714044009852
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/4	32-622	BLACK	Yes	226BL BN0 27	8714044014849
DP 27	NO FLAT	5MM	28X1 5/8X1 1/4	32-622	BLACK	Yes	226BL AF0 27	8714044009692
DP 27	NO FLAT	5MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL AF0 27	8714044005588
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	BLACK	Yes	232BL BN0 27	8714044009210
DP 27	NO FLAT	5MM	28X1 5/8X1 1/2	40-622	BLACK	Yes	232BL AF0 27	8714044009180
DP 41	NO FLAT	5MM	28X1 5/8X1 1/16	25-622	BLACK	Yes	223BL AF0 41	8714044014443
DP 44	NO PUNCTURE	1MM	26X1.9	50-559	BLACK	Yes	266BL BN0 44	8714044020055
DP 44	NO PUNCTURE	1MM	26X1.9	50-559	CREME	Yes	266CR BN0 44	8714044020062
DP 44	NO PUNCTURE	1MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL BN0 44	8714044019165
DP 44	NO FLAT	5MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL AF0 44	8714044019455
DP 44	NO PUNCTURE	1MM	28X2.00	50-622	BLACK	Yes	233BL BN0 44	8714044020093
DP 44	NO PUNCTURE	1MM	28X2.00	50-622	CREME	Yes	233CR BN0 44	8714044020109
DP 57	NORMAL		28X1 1/2	40-635	BLACK	No	138BL BO0 57	8714044010803
DP 57	NO PUNCTURE	1MM	28X1 1/2	40-635	BLACK	Yes	238BL BN0 57	8714044010957
DP 57	NO FLAT	5MM	28X1 1/2	40-635	BLACK	Yes	238BL AF0 57	8714044006066
DP 58	NORMAL		28X1 1/2	40-635	BLACK	No	238BL BO0 57	8714044010810
DP 59	NORMAL		28X1.75	47-622	BLACK	Yes	239BL BO0 59	8714044014368
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	BLACK / BROWN	No	239BLBR BN0 59	8714044017581
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	BLACK / CREME	No	239BLCR BNO 59	8714044017598
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	BROWN	No	239BRO BNO 59	8714044017611
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	CREME	No	239CR BNO 59	8714044019394
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	GREY	No	239GRE BNO 59	8714044017604
DP 59	NO FLAT	5MM	28X1.75	47-622	BLACK	Yes	239BL AF0 59	8714044009647
DP 75	NO PUNCTURE	1MM	26X1.75 1,9	50-559	BLACK	Yes	264BL BN0 75	8714044019158
DP 75	NO FLAT	5MM	26X1.75	50-559	BLACK	Yes	264BL AF0 75	8714044019943
DP 75	NO FLAT	5MM	26X2.00	50-559	BLACK	Yes	267BL AF0 75	8714044011602
DP 79	NORMAL		28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL BO0 79	8714044019172
DP 79	NO PUNCTURE	1MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL BN0 79	8714044017444
DP 79	NO FLAT	5MM	28X1 5/8X1 3/8	37-622	BLACK	Yes	228BL AF0 79	8714044015747
DP 81	NO PUNCTURE	1MM	28X1 5/8X1 1/8	28-622	BLACK	Yes	224BL BN0 81	8714044014818
DP 81	NO FLAT	5MM	28X1 5/8X1 1/8	28-622	BLACK	Yes	224BL AF0 81	8714044011008
DP 100	WINTER TYRE SPIKE PROFILE 5MM	1MM	28X1 5/8X1 3/8	37-622	BLACK	No	228BL WB 100	8714044020642
DP 100	WINTER TYRE SPIKE PROFILE 5MM	1MM	26 x 1,75 / 2,0	47-559	BLACK	No	264BL WB 100	8714044009807

CITY COLOR

Profile	Type	Protection	Size	ETRTO	Color	Reflection	Article number	EAN number
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	BLUE	Yes	232BLABNO 27	8714044020284
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	YELLOW	Yes	232GEEBNO27	8714044020574
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	GREEN	Yes	232GROBNO 27	8714044020369
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	ORANGE	Yes	232OR BNO 27	8714044020253
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	PINK	Yes	232RO BNO 27	8714044020307
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	RED	Yes	232REBNO 27	8714044020567
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	TERRA	Yes	232TER BNO 27	8714044020260
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	WHITE	Yes	232WHIBNO 27	8714044020536
DP 27	NO PUNCTURE	1MM	28X1 5/8X1 1/2	40-622	GREY	Yes	232GREBNO 27	8714044020246
DP 44	NO PUNCTURE	1MM	28X2.0	50-622	PINK	Yes	239RO BNO 44	8714044020512
DP 44	NO PUNCTURE	1MM	28X2.0	50-622	GREEN	Yes	239YG BNO 44	8714044020321
DP 44	NO PUNCTURE	1MM	28X2.00	50-622	CREME	Yes	233CR BNO 44	8714044020109
DP 57	NO PUNCTURE	1MM	28X1 1/2	40-635	BLUE	Yes	238BLABNO57	8714044020604
DP 57	NO PUNCTURE	1MM	28X1 1/2	40-635	YELLOW	Yes	238GEEBNO57	8714044020635
DP 57	NO PUNCTURE	1MM	28X1 1/2	40-635	GREEN	Yes	238GROBNO57	8714044020628
DP 57	NO PUNCTURE	1MM	28X1 1/2	40-635	PINK	Yes	238ROBNO57	8714044020611
DP 57	NO PUNCTURE	1MM	28X1 1/2	40-635	RED	Yes	238ROOBNO57	8714044020598
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	BLACK / BROWN	No	239BLBR BNO 59	8714044017581
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	BLACK / CREME	No	239BLCR BNO 59	8714044017598
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	BROWN	No	239BRO BNO 59	8714044017611
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	CREME	No	239CR BNO 59	8714044019394
DP 59	NO PUNCTURE	1MM	28X1.75	47-622	GREY	No	239GRE BNO 59	8714044017604

ATB

Profile	Type	Protection	Size	ETRTO	Color	Reflection	Article number	EAN number
DP 15	NORMAL		26X1.75	47-559	BLACK	No	164BL BA0 15	8714044010889
DP 15	NO FLAT	5MM	26X1.75	47-559	BLACK	No	164BL AF0 15	8714044010100
DP 39	NO PUNCTURE	1MM	26X1.90	50-559	BLACK	Yes	264BL BNO 39	8714044019400
DP 43	NO FLAT	5MM	26X1.75/ 1,9	50-559	BLACK	No	164BL AF0 43	8714044006363
DP 43	NORMAL		26X1.75/ 1,9	50-559	BLACK	Yes	264BL BA0 43	8714044008312
DP 43	NO FLAT	5MM	26X1.75/ 1,9	50-559	BLACK	Yes	264BL AF0 43	8714044008374
DP 47	NORMAL		26X2.00	50-559	BLACK	Yes	267BL BA0 47	8714044014283
DP 47	NO FLAT	5MM	26X2.00	50-559	BLACK	No	167BL AF0 47	8714044010353
DP 47	NO FLAT	5MM	26X2.00	50-559	BLACK	Yes	267BL AF0 47	8714044012456
DP 63	NO FLAT	5MM	26X2.00	50-559	BLACK	No	167BL AF0 63	8714044017703
DP 77	NO FLAT	5MM	26X2.00	50-559	BLACK	No	167BL AF0 77	8714044014511
DP 94	NO FLAT	3MM	27,5 X 2.20	55-584	BLACK	Yes	227BL AFO 94	8714044019103
DP 94	NO FLAT	3MM	29 X 2.10	55-622	BLACK	Yes	229BL AFO 94	8714044019134
DP 94	Light W.		29 X 2.10	55-622	BLACK	Yes	229BL LW 094	8714044019257

RACE

Profile	Type	Protection	Size	ETRTO	Color	Reflection	Article number	EAN number
DP 89	NO FLAT	3MM	28X1 700X22C	22-622	BLACK	No	121BL AF0 89	8714044013590
DP 89	NO PUNCTURE	1MM	28X1 700X23C	23-622	BLACK	No	122BL BNO 89	8714044026453
DP 89	NO FLAT	3MM	28X1 700X23C	23-622	BLACK	No	122BL AF0 89	8714044014986

Profile	Type	Protection	Size	ETRTO	Color	Reflection	Article number	EAN number
DP 05	NORMAL		24X1 3/8	37-540	CREME	No	208CR BO5	871404400828
DP 30	HIGH PRESSURE NO FLAT	5MM	20X2.3	58-406	BLACK	No	107BL HFO 30	9714044012715
DP 35	NORMAL		12 1/2X1.75	47-203	BLACK	Yes	200BL BO0 35	8714044016065
DP 35	NORMAL		16X1.75	47-305	BLACK	Yes	202BL BO0 35	8714044016225
DP 35	NO FLAT	5MM	16X1.75	47-305	BLACK	No	102BL AF0 35	8714044015990
DP 35	NO FLAT	5MM	16X1.75	47-305	BLACK	Yes	202BL AF0 35	8714044016027
DP 35	NORMAL		12 1/2X1.75	47-203	BLACK	No	100BL BO0 35	8714044015877
DP 35	NO FLAT	5MM	12 1/2X1.75	47-203	BLACK	No	100BL AF0 35	8714044015884
DP 37	NO FLAT	5MM	24X1 3/8	37-540	GREY	No	108GREAF0 37	8714044008275
DP 37	NORMAL		24X1 3/8	37-540	BLACK	Yes	208BL BO0 37	8714044005724
DP 37	NO FLAT	5MM	24X1 3/8	37-540	GREY	Yes	208GREAF0 37	8714044006042
DP 45	NO FLAT	5MM	20X1.95	54-406	BLACK	Yes	207BL AF0 45	8714044014603
DP 55	NORMAL		26X1 3/8	37-590	BLACK	Yes	213BL BO0 55	8714044005533
DP 55	NO FLAT	5MM	26X1 3/8	37-590	BLACK	Yes	213BL AF0 55	8714044006028
DP 59	NORMAL		20X1.75	47-406	BLACK	No	106BL BO0 59	8714044010162
DP 59	HIGH PRESSURE NO FLAT	5MM	20X1.75	47-406	BLACK	No	106BL HF0 59	8714044012609
DP 59	NORMAL		20X1.75	47-406	BLACK	Yes	206BL BO0 59	8714044010322
DP 59	NO FLAT	5MM	20X1.75	47-406	BLACK	Yes	206BL AF0 59	8714044009661
DP 59	HIGH PRESSURE NO FLAT	5MM	20X1.75	47-406	BLACK	Yes	206BL HF0 59	8714044012708
DP 61	NORMAL		20X1.75	47-406	BLACK	No	146BL BC0 61	8714044010179
DP 61	NORMAL		20X1.75	47-406	RED	No	146RO BC5	8714044000576
DP 61	NO FLAT	5MM	20X1.75	47-406	BLACK	No	146BL AF0 61	8714044010155
DP 69	NO FLAT	5MM	14X1 5/8X1 3/8	37-298	BLACK	No	103BL AF0 69	8714044018465
DP 75	NO FLAT	5MM	24X1.75 / 1,9	50-507	BLACK	Yes	254BL AF0 75	8714044018014
DP 79	HIGH PRESSURE NO FLAT	5MM	20X1.3	37-406	BLACK	No	105BL HF0 79	8714044016089
DP 79	NORMAL		26X1 1/2	40-584	BLACK	No	114BL BO0 79	8714044012661
DP 79	NO PUNCTURE	1MM	20X1.3	37-406	BLACK	Yes	205BL BN0 79	8714044016157
DP 79	HIGH PRESSURE NO FLAT	5MM	20X1.3	37-406	BLACK	Yes	205BL HF0 79	8714044016102
DP 79	NORMAL		26X1 1/2	40-584	BLACK	Yes	214BL BO0 79	8714044012630
DP 79	NO FLAT	5MM	26X1 1/2	40-584	BLACK	Yes	214BL AF0 79	8714044010988
DP 95	NO PUNCTURE	1MM	24X1.75	47-507	BLACK	Yes	254BL BN0 95	8714044019097
DP 95	NORMAL		24 X 1,75	47-507	RED	YES	254ROO BO095	8714044001542
DP 97	NORMAL		12 1/2X2 1/4	62-203	BLACK	No	101BL BO0 97	8714044015921
DP 97	NO FLAT	5MM	12 1/2X2 1/4	62-203	BLACK	No	101BL AF0 97	8714044015938
DP 97	NORMAL		12 1/2X2 1/4	62-203	BLACK	No	101BL BO0 97	8714044015921
DP 97	NO FLAT	5MM	12 1/2X2 1/4	62-203	BLACK	No	101BL AF0 97	8714044015938



Valve	Size	ETRTO	Length Valve	Packaging	Article number	EAN Nummer	Protection
AMERICAN	20X1.75/2.00	47-406		TUBE BAG	506AM 6.8 A	8714044018731	NORMAL
AMERICAN	24X1.75/2.00	47-507		TUBE BAG	509AM 6.6 NF	8714044018359	NO FLAT
AMERICAN	26X1.75/2.00	47-559		TUBE BAG	518AM 6.0	8714044010254	NO FLAT
AMERICAN	26X1.75/2.00	47-559		TUBE BAG	518AM 6.6	8714044009968	NORMAL
BLITZ	12 1/2X1.75	47-203		TUBE BAG	500BLI6.0	8714044016713	NO FLAT
BLITZ	12 1/2X1.75	47-203		TUBE BAG	500BLI6.6	8714044017468	NORMAL
BLITZ	12 1/2X2 1/4	62-203		TUBE BAG	501BLI6.0	8714044016850	NO FLAT
BLITZ	12 1/2X2 1/4	62-203		TUBE BAG	501BLI6.6 NF	8714044016867	NO FLAT
BLITZ	12 1/2x2 1/4	62-203		TUBE BAG	501BLI6.8	8714044018700	NORMAL
BLITZ	16X1.75/2.00	47-305		TUBE BAG	502BLI6.0	8714044016942	NO FLAT
BLITZ	16X1.75/2.00	47-305		TUBE BAG	502BLI6.6	8714044014863	NORMAL
BLITZ	18X1.75	47-355		TUBE BAG	504BLI6.5	8714044004239	NORMAL
BLITZ	20X1.3	37-406		TUBE BAG	505BLI6.6	8714044017062	NORMAL
BLITZ	20X1.3	37-406		TUBE BAG	505BLI6.0	8714044017048	NO FLAT
BLITZ	20X1.75/2.00	47-406		TUBE BAG	506BLI6.8 NF	8714044018748	NO FLAT
BLITZ	20X1.75/2.00	47-406		TUBE BAG	506BLI6.6	8714044017338	NORMAL
BLITZ	24X1 3/8	37-540		TUBE BAG	508BLI6.0	8714044008916	NO FLAT
BLITZ	24X1 3/8	37-540		TUBE BAG	508BLI6.6 NF	8714044011473	NO FLAT
BLITZ	24X1 3/8	37-540		TUBE BAG	508BLI6.6	8714044009371	NORMAL
BLITZ	24X1.75/2.00	47-507		TUBE BAG	509BLI6.6	8714044014870	NORMAL
BLITZ	24X1.75/2.00	47-507		TUBE BAG	509BLI6.8	8714044018762	NORMAL
BLITZ	26X1 1/2	40-584		TUBE BAG	514BLI6.0	8714044011176	NO FLAT
BLITZ	26X1 1/2-1 3/8	40-584		TUBE BAG	514BLI6.6	8714044013057	NORMAL
BLITZ	26X1 3/8	37-590		TUBE BAG	513BLI6.0	8714044010049	NO FLAT
BLITZ	26X1 3/8	37-590		TUBE BAG	513BLI6.6	8714044008251	NORMAL
BLITZ	26X1.75/2.00	47-559		TUBE BAG	518BLI6.0	8714044010025	NO FLAT
BLITZ	26X1.75/2.00	47-559		TUBE BAG	518BLI6.6	8714044010001	NORMAL
BLITZ	28X1 1/2	40-635		TUBE BAG	538BLI6.0	8714044010032	NO FLAT
BLITZ	28X1 1/2	40-635		TUBE BAG	538BLI6.6	8714044009869	NORMAL
BLITZ	28X1 5/8X1 3/8	37-622		TUBE BAG	528BLI6.6	8714044008268	NORMAL
BLITZ	28X1 5/8X1 3/8	37-622		TUBE BAG	528BLI6.0	8714044008930	NO FLAT
BLITZ	28X1.75/1.9	50-622		TUBE BAG	539BLI6.0	8714044010056	NO FLAT
BLITZ	28X1.75/2.00	50-622		TUBE BAG	539BLI6.6	8714044011565	NORMAL
BLITZ	28X1-28X1 5/8X1 1/16-1 1/8	28-622		TUBE BAG	524BLI6.0	8714044011411	NO FLAT
BLITZ	28X1-28X1 5/8X1 1/16-1 1/8	28-622		TUBE BAG	524BLI6.6	8714044012159	NORMAL
FRENCH	26X1 3/8 - 1 1/2	37/40-590	40 MM	TUBE BAG	513FR 6.0 K	8714044013163	NO FLAT
FRENCH	26X1 3/8X1 1/4	37-590	40 MM	TUBE BAG	513FR 6.6 KL	8714044015860	NORMAL
FRENCH	27X1 1/4-28X1 5/8X1 1/4	32-630	40 MM	TUBE BAG	526FR 6.0 K	8714044013217	NO FLAT
FRENCH	27X1 1/4-28X1 5/8X11/4-1 3/8	37-622	40 MM	TUBE BAG	528FR 6.6 K	8714044011329	NORMAL
FRENCH	28X1 5/8X1 3/8	37-622	67,5 MM	TUBE BAG	528FR 6.0 L	8714044013255	NO FLAT
FRENCH	28X1 5/8X1 3/8-28X1 1/2	40-635	40 MM	TUBE BAG	528FRA6.8	8714044018915	NORMAL
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	28-622	67,5 MM	TUBE BAG	524FR 6.6 L	8714044013125	NORMAL
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	28-622	67,5 MM	TUBE BAG	524FR 6.0 L	8714044013248	NO FLAT
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	28-622	40 MM	TUBE BAG	524FR 6.0 K	8714044013200	NO FLAT
FRENCH	28X3/4-1 28X1 5/8X1 1/16	23-622	40 MM	TUBE BAG	521FR 6.0 K	8714044017628	NO FLAT
FRENCH	28X3/4-1 28X1 5/8X1 1/16	23-662	40 MM	TUBE BAG	521FR 6.6 K	8714044017666	NORMAL
AMERICAN	20X1.75/2.00	47-406		TUBE BAG	506AM 6.6 NF	8714044012272	NO FLAT
AMERICAN	20X1.75/2.00	47-406		TUBE BAG	506AM 6.8 A	8714044018731	NORMAL
AMERICAN	24X1.75/2.00	47-507		TUBE BAG	509AM 6.6 NF	8714044018359	NO FLAT
AMERICAN	26X1.75/2.00	47-559		TUBE BAG	518AM 6.0	8714044010254	NO FLAT
AMERICAN	26X1.75/2.00	47-559		TUBE BAG	518AM 6.6	8714044009968	NORMAL

TUBES BOX PACKAGING

Valve	Size	ETRTO	Length Valve	Packaging	Article number	EAN Nummer	Protection
AMERICAN	20X1.75/2.00	47-406		TUBE BOX	606AM 6.0	8714044010919	NO FLAT
AMERICAN	24X1.75/2.00	47-507		TUBE BOX	609AM 6.0	8714044018373	NO FLAT
AMERICAN	26X1.75/2.00	47-559		TUBE BOX	618AM 6.6	8714044014207	NORMAL
AMERICAN	26X1.75/2.00	47-559		TUBE BOX	618AM 6.0	8714044013583	NO FLAT
BLITZ	12 1/2X1.75	47-203		TUBE BOX	600BLI6.6	8714044016799	NORMAL
BLITZ	12 1/2X1.75	47-203		TUBE BOX	600BLI6.0	8714044016768	NO FLAT
BLITZ	12 1/2X2 1/4	62-203		TUBE BOX	601BLI6.6	8714044017413	NORMAL
BLITZ	16X1 3/8	37-340		TUBE BOX	603BLI6.5	8714044002396	NORMAL
BLITZ	16X1.75	47-305		TUBE BOX	602BLI6.6	8714044017383	NORMAL
BLITZ	16X1.75	47-305		TUBE BOX	602BLI6.0	8714044016980	NO FLAT
BLITZ	16X2.125	57-305		TUBE BOX	644BLI6.5	8714044003805	NORMAL
BLITZ	18X1.75	47-355		TUBE BOX	604BLI6.5	8714044004239	NORMAL
BLITZ	20X1.3	37-406		TUBE BOX	605BLI6.6	8714044017109	NORMAL
BLITZ	20X1.3	37-406		TUBE BOX	605BLI6.0	8714044017116	NO FLAT
BLITZ	20X1.75	47-406		TUBE BOX	606BLI6.6	8714044017376	NORMAL
BLITZ	20X2.125	57-406		TUBE BOX	648BLI6.5	8714044002679	NORMAL
BLITZ	24X1 3/8	37-540		TUBE BOX	608BLI6.6	8714044012333	NORMAL
BLITZ	24X1 3/8	37-540		TUBE BOX	608BLI6.0	8714044008947	NO FLAT
BLITZ	24X1.75/2.00	47-507		TUBE BOX	609BLI6.6	8714044017390	NORMAL
BLITZ	26X1 1/2	40-584		TUBE BOX	614BLI6.6	8714044013040	NORMAL
BLITZ	26X1 1/2	40-584		TUBE BOX	614BLI6.0	8714044011206	NO FLAT
BLITZ	26X1 3/8	37-590		TUBE BOX	613BLI6.6	8714044012340	NORMAL
BLITZ	26X1 3/8	37-590		TUBE BOX	613BLI6.0	8714044008954	NO FLAT
BLITZ	26X1.75/2.00	47-559		TUBE BOX	618BLI6.6	8714044010841	NORMAL
BLITZ	26X1.75/2.00	47-559		TUBE BOX	618BLI6.0	8714044009913	NO FLAT
BLITZ	26X2.125	57-559		TUBE BOX	669BLI6.5	8714044002686	NORMAL
BLITZ	27X1 1/4-28X1 5/8X1 1/4	32-622		TUBE BOX	626BLI6.0	8714044009357	NO FLAT
BLITZ	28X1 1/2	40-635		TUBE BOX	638BLI6.6	8714044012326	NORMAL
BLITZ	28X1 5/8X1 3/8	37-622		TUBE BOX	628BLI6.6	8714044009616	NORMAL
BLITZ	28X1 5/8X1 3/8	37-622		TUBE BOX	628BLI6.0	8714044008961	NO FLAT
BLITZ	28X1.75/2.00	50-622		TUBE BOX	639BLI6.6	8714044013071	NORMAL
BLITZ	28X1-28X1 5/8X1 1/16-1 1/8	25-622		TUBE BOX	624BLI6.0	8714044011428	NO FLAT
BLITZ	28X1-28X1 5/8X1 1/16-1 1/8	25-622		TUBE BOX	624BLI6.6	8714044013064	NORMAL
FRENCH	26X1 1/2	40-584	40 MM	TUBE BOX	614FR 6.0 K	8714044013170	NO FLAT
FRENCH	26X1 3/8- 1 1/2	37/40-590	40 MM	TUBE BOX	613FR 6.0 K	8714044009265	NO FLAT
FRENCH	26X1 3/8-1 1/2	37-590	40 MM	TUBE BOX	613FR 6.6 K	8714044013088	NORMAL
FRENCH	26X1.75	47-559	67,5 MM	TUBE BOX	618FR 6.0 L	8714044013385	NORMAL
FRENCH	26X1.75/2.00	47-559	40 MM	TUBE BOX	618FR 6.6 K	8714044015525	NORMAL
FRENCH	27X1 1/4-28X1 5/8X1 1/4	32-630	40 MM	TUBE BOX	626FR 6.0 K	8714044009340	NO FLAT
FRENCH	27X1 1/4-28X1 5/8X1 1/4-1 3/8	37-622	67,5 MM	TUBE BOX	628FR 6.6 L	8714044011930	NORMAL
FRENCH	27X1 1/4-28X1 5/8X1 1/4-1 3/8	37-622	40 MM	TUBE BOX	628FR 6.6 K	8714044013101	NORMAL
FRENCH	28X1 5/8X1 1/2	40-622	40 MM	TUBE BOX	632FR 6.0 K	8714044013576	NO FLAT
FRENCH	28X1 5/8X1 3/8	37-622	67,5 MM	TUBE BOX	628FR 6.0 L	8714044011022	NO FLAT
FRENCH	28X1 5/8X1 3/8	37-622	40 MM	TUBE BOX	628FR 6.0 K	8714044009272	NO FLAT
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	25-622	67,5 MM	TUBE BOX	624FR 6.6 L	8714044013118	NORMAL
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	25-622	40 MM	TUBE BOX	624FR 6.0 L	8714044013231	NO FLAT
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	25-622	40 MM	TUBE BOX	624FR 6.6 K	8714044011596	NORMAL
FRENCH	28X1-28X1 5/8X1 1/16-1 1/8	25-622	40 MM	TUBE BOX	624FR 6.0 K	8714044013194	NO FLAT
FRENCH	28X3/4-1 28X1 5/8X1 1/16	23-622	40 MM	TUBE BOX	621FR 6.6 K	8714044017673	NORMAL
FRENCH	29X1 5/8X1 3/8-28X1 1/2	42/55-622	48 MM	TUBE BAG	628FRA6.8	8714044019059	NORMAL



WWW.DUTCHPERFECT.EU

OVER
15

EXPORT
COUNTRIES



500.000

ITEMS ON STOCK

Just

INVENTOR OF
NO FLAT TYRE


600

MOQ OEM
PRODUCTION

30+

YEARS
TYRE SPECIALIST

WAREHOUSE
LOCATION



POST & RENTAL
TYRE SPECIALIST



DUTCH PERFECT • INDUSTRIEWEG 17 • 8471 AD WOLVEGA • THE NETHERLANDS
T 0031 561481232 • INFO@DUTCHPERFECT.EU • WWW.DUTCHPERFECT.EU